



Certificate number 16900 Rev.1 Replaces 16900 Rev.0

Issued 26/11/2021 First edition 16/11/2021

Report number PKC0005032 Expiry date 15/11/2026

Page 1 of 2 Contract number PKC0005435

Product Certificate Photovoltaic (PV) Panels

License holder: Solvis d.o.o.

Vesne Parun 15, HR-42000 Varaždin, Croatia

Production site(s): Solvis d.o.o.

Vesne Parun 15, HR-42000 Varaždin, Croatia

Model(s): SV144-XXX E (YYY) HC, SV120-XXX E (YYY) HC,

SV144-XXX E (YYY) HC9B, SV120-XXX E (YYY) HC9B

(see extended models in the Annex)*

The product as listed in this certificate and marked with the below given Kiwa Cermet Italia mark for Photovoltaic (PV) Panels, can be considered complying to the requirements of Kiwa Cermet Italia Guideline "TD Ki – 0409, Solar Products and Components" based upon the following aspects:

Laboratory testing of the panels, which are performed by an accredited laboratory in accordance to ISO/IEC 17025 -see annex-, using the following standards:

• IEC 61215-1:2016

Terrestrial photovoltaic (PV) modules – Design qualification and type approval – Part 1: Test requirements

• IEC 61215-1-1:2016

Terrestrial photovoltaic (PV) modules – Design qualification and type approval – Part 1-1: Special requirements for testing of crystalline silicon photovoltaic (PV) modules

IEC 61215-2:2016

Terrestrial photovoltaic (PV) modules - Design qualification and type approval - Part 2: Test procedures

• IEC 61730-1:2016

Photovoltaic (PV) module safety qualification – Part 1: Requirements for construction

• IEC 61730-2:2016

Photovoltaic (PV) module safety qualification – Part 2: Requirements for testing

Remarks: To be used in plants at a maximum system voltage (Voc at STC) up to 1500 Vdc (Class II); fire test (IEC 61730-2 / MST 23 – Class C) was performed.

Periodic Inspection of the Factory site(s), according to "TD Ki – 0409", which includes:

- inspection of the manufacturing quality control and production procedures;
- inspection of the produced panels and confirmation that these are identical to the tested panels;
- periodic verification of the manufacturer test facilities.

This certificate is issued in accordance with the Kiwa Cermet Italia regulations.

Publication of the certificate is allowed.

The validity of this certificate is subject to the positive result of periodic surveillance visits.

The validity of this certificate can be verified on request at the following e-mail address: energy@kiwacermet.it.

Any total or partial reproduction of this document in any form, without Kiwa Cermet Italia express authorization, is prohibited.

Chief Operating Officer Gampiero Belcredi









all'attività di direzione e coordinamento di Kiwa Italia Holding Srl Via Cadriano, 23 40057 Granarolo dell'Emilia (BO) Tel +39.051.459.3.111

E-mail: <u>info@kiwacermet.it</u> <u>www.kiwa.it</u> <u>www.kiwacermet.it</u>

Fax +39 051 763 382





Certificate number 16900 Rev.1

Replaces

16900 Rev.0

Issued

26/11/2021

First edition

16/11/2021

Report number

PKC0005032

Expiry date

15/11/2026

Page

2 of 2

Contract number

PKC0005435

Product Certificate Photovoltaic (PV) Panels

Annex

Extended models*

Extended models	Cells		Cell	Module size ³	Rated power
Model name	number	Cell size (mm)	technology	(mm)	(Wp)
SV144-XXX E (YYY) HC ¹	144	158,75×79,375	Mono-Si	2001x1000x35	From 400 to 380 in steps of 5
SV144-XXX E (YYY) HC ²	144	158,75×79,375	Mono-Si	2001x1000x35	From 415 to 385 in steps of 5
SV120-XXX E (YYY) HC ¹	120	158,75×79,375	Mono-Si	1685×1000×35	From 330 to 315 in steps of 5
SV120-XXX E (YYY) HC ²	120	158,75×79,375	Mono-Si	1685×1000×35	From 350 to 320 in steps of 5
SV144-XXX E (YYY) HC9B ¹	144	166x83	Mono-Si	2094x1038x35	From 440 to 400 in steps of 5
SV144-XXX E (YYY) HC9B ²	144	166x83	Mono-Si	2094x1038x35	From 455 to 410 in steps of 5
SV120-XXX E (YYY) HC9B ¹	120	166x83	Mono-Si	1755x1038x35	From 360 to 330 in steps of 5
SV120-XXX E (YYY) HC9B ²	120	166x83	Mono-Si	1755×1038×35	From 375 to 340 in steps of 5

Remarks: XXX = rated power. E = mono-Si solar cells. YYY = optional suffix. The YYY suffix can be: F = black frame and white backsheet; B = silver frame and black backsheet; BC = black frame and black backsheet. Without YYY suffix = silver frame and white backsheet. HC = half cell module.

- Model SV144-XXX E (YYY) HC and SV120-XXX E (YYY) HC: length 2401 mm; width 1200 mm; area 2,40 m² (length x width = must not exceed max area 2,40 m²).
- Model SV144-XXX E (YYY) HC9B and SV120-XXX E (YYY) HC9B: length 2513 mm; width 1246 mm; area 2,61 m² (length x width = must not exceed max area $2,61 \text{ m}^2$).
- ³ Minimum allowed dimensions:
- Length : 2 mm starting from the above listed dimensions
- Width: 2 mm starting from the above listed dimensions

Chief Operating Officer Giampiero Belcredi

Kiwa Cermet Italia S.p.A. Società con socio unico, soggetta all'attività di direzione e coordinamento di Kiwa Italia

Holding Srl Via Cadriano, 23 40057 Granarolo dell'Emilia (BO) Tel +39.051.459.3.111 Fax +39.051.763.382

E-mail: info@kiwacermet.it www.kiwa.it

www.kiwacermet.it

Laboratory test reports nr.: L0005032 rev.00; L0005096/A rev.00; L0005096/B rev.00; 948.0Cl0262/21; 2.00.80564.1.0-05a, L0011144/A rev.00, L0011144/B, L0011144/C rev.00, L0005276 rev.00,





¹ modules with black backsheet.

² modules with white backsheet.

³ Maximum allowed dimensions: